### 1. How to prevent articulation disorder?

- Always provide correct model for pronunciation
- If you identify a child with cleft lip and palate refer to a doctor
- Provide appropriate hearing aids as early as possible for children with hearing impairement

#### 2. Whom to contact????

**Speech - Language Pathologist**: To seek help in the assessment and rehabilitation regarding the communication difficulties of the child.

\* \* \*

# FOR FURTHER DETAILS AND INFORMATION CONTACT



### All India Institute of Speech and Hearing

Naimisham Campus, Manasagangothri, Mysuru- 570006.

Phone no: 0821-2502000, Toll free No.: 18004255218 Working days: Monday- Friday (9AM - 5.30PM) (Except on Central Govt. Holidays)

Email id: director@aiishmysore.in

Is your child not pronouncing some sounds clearly ???

Then, your child could have...



## **Articulation disorder**

Examples of misprounciation include 'locket' for 'rocket', 'nana' for 'banana', 'cool' for 'school' and may produce unclear speech sounds.

**Department of Prevention of Communication Disorders** 



### **ALL INDIA INSTITUTE OF SPEECH AND HEARING**

Manasagangothri, Mysuru- 570006.

PHONE: 0821-2502000, Ext.: 2703 FAX: 0821-2510515

Email: director@aiishmysore.in Website: www.aiishmysore.in

### Here is the chart showing normal development of speech and articulation

Acquisition of sounds by years	Order of acquisition of sounds
2-2.6 years	a, i. u, e, o, ae
2.6-3 years	p, b, m, v, th, dh, n, k, g
3-3.6 years	cha, ja
3.6 to 4 years	T, d, ya
4-4. 6 years	s, sh, ing, h
6-7 years	Blends : st, sku and r, l

### **Features**

















### Mispronunciation could be due to







Hearing impairment







